

**DESCRIPTION**

The Trace-lite TL119 Series is an attractive, semi-cutoff wallpack that is ideal for parking areas, entrances, walkways, underpasses, loading docks, and recreation areas.

**SPECIFICATIONS**

**Construction:**

The Trace-lite TL119 Series features a durable, die-cast aluminum housing with an architectural bronze powder coated finish. Enclosure is fully sealed and gasketed, and is Wet Location Listed for outdoor use. Enclosure and hardware are corrosion resistant. The TL119 features an internal, anodized aluminum reflector which provides ideal light distribution, and the lamp(s) are protected by a vandal-resistant, borosilicate glass prismatic refractor.

**Lamps & Ballasts**

High Pressure Sodium: B17 type lamps 70 and 100 watts, utilizing a medium base, glazed porcelain socket pulse rated for 4KV.

**Installation:**

The Trace-lite TL119 Series is ideal for mounting to any vertical surface and features a hinged design for easy access to internal components. Unit can be wired to a 4" junction box or surface mounted using 1/2" NPS conduit entry points.

**Photocontrol (Accessory: PC):**

Optional field-installed photocontrol provides dusk-till-dawn security. Input voltage must be specified to match fixture input voltage.

**Listing:**

The TL119 is suitable for wet locations.


**Warranty:**

Any housing component that fails due to manufacturer's defect is guaranteed for two years from time of shipment. Ballasts, Capacitors, and Igniters are warranted for one year from time of shipment. Warranty does not apply to damages caused by improper installation, abuse, fire or acts of God. Lamp is not covered by manufacturer's warranty.

Model: \_\_\_\_\_ Date: \_\_\_\_\_  
 Accessories: \_\_\_\_\_  
 Job Name: \_\_\_\_\_ Type: \_\_\_\_\_




**DIMENSIONS**



Approximate Weight: 15 lbs.

**SAMPLE PHOTOMETRICS**

TL119-PSMH-150 Mounted at 10'



**ORDERING INFORMATION**

Example: TL119-HPS-100-MT

Series	Lamp Type	Lamp Wattage	Input Voltage	Accessories <sup>1</sup> (Field Installed)
TL119	HPS = High Pressure Sodium	<b>High Pressure Sodium</b> 70 = 70 Watts	MT = 120/208/240/277VAC	PC1 = 120VAC Photocontrol PC2 = 208-277VAC Photocontrol
<b>Notes</b>		100 = 100 Watts		

<sup>1</sup> Order as separate line item