

Customize the message on many of our signs with any custom legend. Get the value and performance benefits our products offer and take advantage of the latest LED technology.

Model: _____ Date: _____
Accessories: _____
Job Name: _____ Type: _____

FEATURES

- Available in plastic (VEX), die-cast (400E and 400EX), edge-lit (900E) and wet location (VEX-WP) enclosures
- Single or double-faced configurations
- Built with the same quality components as our Exit signs

APPLICATIONS

- Hospitals/Clinical Labs
- School Campus
- Radio Stations/Concert Venues
- Retail
- Stadiums/Gymnasiums
- Restaurants/Bars



POPULAR CUSTOM LEGENDS



SS12



SS13



SS19



SS24



SS26



SS28




SS30



SS31



SS48



SS60



SS62



SS63



SS85



SS91



SS211



SS274



SS701



SS705



SS708

CUSTOM LEGENDS AND COLOR EXAMPLES

Please contact us at 888-LED-EXIT for your own personalized quotation.



GENERAL ORDERING INFORMATION

- Contact factory for custom panels
- Specialty signs are not UL listed
- Popular custom legends for reference only, additional set-up charges may occur in certain configurations



VEX Series



ORDERING INFORMATION Example: VEX-1-BP-LB-WH-SS12

Series	Style	Housing Type	Power Source	Finish	Options (Factory Installed)
VEV = Red	U ¹ = Universal	BP = Plastic	LB = AC Only	WH = White	SS ³ = Specialty Signs
GVEX = Green	1 ² = Single-Face		WB = With Battery		SALIDA ⁴ = Salida Legends

Notes

- ¹ Universal includes second exit face and backplate ³ Consult factory for alternate legends and custom configurations
² Available for Specialty Signs only ⁴ Only available as universal (U)



400E Series

AVAILABLE WHILE SUPPLIES LAST



ORDERING INFORMATION Example: 402E-LB-BA-SS63

Series	Power Source	Finish	Options (Factory Installed)
402E = Red Single-Face	LB = AC Only	BB = Black w/ Black Face	FM ¹ = Flush Mount Kit
403E = Red Double-Face	WB = NiCad Battery (std)	BL = Black w/ Alum. Face	SS ² = Specialty Signs
G402E = Green Single-Face		WW = White w/ White Face	
G403E = Green Double-Face			

Notes

- ¹ FM only available in single face
² Consult factory for alternate legends and custom configurations

Specifications are subject to change without notice. Installation must be performed in accordance with Barron Lighting Group installation instructions.

400EX Series



ORDERING INFORMATION Example: 402EX-WB-BA-G2

Series	Power Source	Finish	Options (Factory Installed)
402EX = Red Single-Face	LB = AC Only	BA = Brushed Alum. w/ Alum. Face	SS ¹ = Specialty Signs
403EX = Red Double-Face	WB = NiCad Battery (std)		
G402EX = Green Single-Face	2CI1 = 120V 2 Circuit Input		
G403EX = Green Double-Face	2CI7 = 277V 2 Circuit Input		

Notes

¹ Consult factory for alternate legends and custom configurations

900E Series



ORDERING INFORMATION Example: 902E-U-WB-RM-BA-SS708

Series	Mounting	Power Source	Panel Color	Finish	Options (Factory Installed)
902E = Single-Face	R = Recessed	LB = AC Only	GC ² = Green Letters/Clear Panel	BA = Brushed Alum.	DR = Damp Location Rated
903E ¹ = Double-Face	U = Universal Surface	NC = NiCad	GM = Green Letters/Mirror Panel	BL = Black	SS ³ = Specialty Signs
	WR ² = Wall Recessed	WB = With Battery	GW = Green Letters/White Panel	WH = White	
			RC ² = Red Letters/Clear Panel		
			RM = Red Letters/Mirror Panel		
			RW = Red Letters/White Panel		

Notes

¹ Double face available with white or mirror panel only

² Single face, clear panels only (RC or GC)

³ Consult factory for alternate legends, laser etching, or custom configurations

VEX-WP Series



ORDERING INFORMATION Example: VEX-WP-1-WB-WH-SS701

Series	Style	Power Source	Finish	Options (Factory Installed)
GVEX-WP = Green	1 = Single-Face	LB = AC Only	BL = Black	SS ¹ = Specialty Signs
VEX-WP = Red	2 = Double-Face	WB = With Battery	GR = Gray	
			WH = White	

Notes

¹ Consult factory for alternate legends and custom configurations