


































Exit Signs and Combos

						
NXFX NEMA 4X, NSF Rated Exit	NXFC NEMA 4X, NSF Rated Combo Exit	S900C LED Edge-lit Combo Exit	VLEDC-51 Ultra Compact LED Exit Combo	CLEL LED Light Bar Exit Combo	VLED-EL90 LED Exit Combo	ILX Compact, Low-Profile LED Exit
						
VEX Thermoplastic LED Exit	VEX-R LED Exit with Remote Capability	VEX-WP Weatherproof LED Exit	VEX-WPC Wet Location LED Exit Combo	VEX-WPCR Wet Location Remote Capability	400E Die-Cast Aluminum LED Exit	400EX Die-Cast Aluminum LED Exit
						
400U Universal Die-Cast Aluminum LED Exit	400C Die-Cast Aluminum LED Exit Combo	450 Ultra-Slim Die-Cast Aluminum LED Exit	500E Steel Direct View LED Exit	600E Steel Direct View LED Exit	700U Universal Steel Diffused LED Exit	900E Edge-lit LED Exit
						
S900 Swivel Mount Edge-lit LED Exit	RMPE Running Man LED Exit	RMPC Running Man LED Exit Combo	LOBO Low-Profile LED Combo	CP-E Class I, Div II Edge-lit LED Exit	CP-EXP Explosion Proof Edge-lit LED Exit	CP-EX Class I, Div II LED Exit
						
CT400E Die-Cast Aluminum LED Exit	CT700E Steel LED Exit	CT900E Recessed Edge-lit LED Exit	CTC900E Surface Mount Edge-lit LED Exit	NAV Wet Location LED Exit	EG100 High-Visibility Photoluminescent Exit	PXP Self Luminous Tritium Exit
						
CHIC Chicago LED Exit Combo	CHIX Chicago LED Exit	QXEDGP Thermoplastic LED Edge-lit Exit	CH900X Chicago Approved LED Edge-lit Exit	NYN4X NY Approved Wet Location Exit	NY900U NY Approved Universal Edge-lit Exit	NY900C NY Approved Edge-lit Combo Exit
						
NY900E NY Approved Edge-lit Exit	400U-8 NY Approved Die-Cast Exit	VEX-8 NY Approved Steel Exit	VEXCL NY Approved Steel Combo Exit			

Continued on next page...



Emergency Lighting

NXFE NEMA 4X, NSF Rated LED Emergency	RM2 Recessed LED Emergency	RMW Architectural LED Recessed Emergency	NFINITY Thermoplastic High Output LED	LED51/52 Thermoplastic Ultra Compact LED	LEM54-N4 Thermoplastic Wet Location LED	SCL Compact Steel LED Tool-less Batt Access	CRL Recessed T-Bar LED Tool-less Batt Access	CP-EMW Architectural Wet Location LED
CP-EMX Class I, Div II Incandescent	LED-60 Thermoplastic LED	LED-90 Thermoplastic LED	LED-95 Thermoplastic LED	LED-RX Polycarbonate Wet Location LED	NF1 Extruded Aluminum Cylinder LED	NF2 Aluminum Ultra Mini LED	NF3 Die-Cast Aluminum Compact Outdoor LED	NF5 Die-Cast Aluminum Linear Outdoor LED
NFDL1 New Construction Rec. LED Downlight	NFDL2 Remodel Rec. LED Downlight	LL50H-6/12-50 Thermoplastic High Capacity LED	LL50H-N4 Thermoplastic Wet Location LED	LRP Thermoplastic Heavy Duty Incandescent	RS2 27W LED Steel Emergency Light	FRM Flush Recessed Mount Emergency	RSL 12-90W LED Steel Emergency Light	RS 120-360 Steel LED or Incandescent
STEALTH Recessed LED	SLW Low-Profile Architectural LED	TRITON LED Die-Cast General & Emergency Lighting	WNX Fiberglass NEMA 4X Incandescent	CHIM Chicago LED Emergency				

GUARDIAN G3 Products

S900-G3 Universal Swivel Mount LED Edge-lit Exit	VEX-G3 Thermoplastic LED Exit	WPX-G3 Weatherproof Thermoplastic LED Exit	400WX-G3 Die-Cast Aluminum LED Exit	S900C-G3 LED Edge-lit Combo	VLED-EL90L-G3 Thermoplastic LED Combo	TPXC-G3 Thermoplastic LED Combo	WPXC-G3 Weatherproof Thermoplastic LED Combo	WPX-EM-G3 Weatherproof Thermoplastic Emergency Unit
NFT-G3 High Output Thermoplastic Emergency Light	LED-90L-G3 Thermoplastic LED Emergency Light	LED-51/52-G3 Ultracompact Thermoplastic Emergency Light	EMX-G3 Steel Emergency Light	SLW-GE Die-Cast Low-Profile General & Emergency Light	TRITON-G3 Die-Cast General & Emergency Light	LEMD-G3 LED Battery Backup Drivers	LEMDC-G3 Compact LED Battery Backup Drivers	GATEWAYS Primary & Secondary Gateways

EQUITY LINE Products

RS2 27W LED Steel Emergency Light	QXEDGP Thermoplastic LED Edge-lit Exit	QXS Universal Red/Green Slim Thermoplastic Exit	QCRS Universal Red/Green Slim Thermoplastic Combo	QXT Thin Thermoplastic Exit	QCRT Thin Thermoplastic Combo	QCSS Slim Thermoplastic Combo	QMS Micro Thermoplastic Emergency Unit	QMR Micro Thermoplastic Emergency Unit

Continued on next page...






Inverters

 CANYON Single Phase Indoor 750W, 950W or 1150W	 MESA Single Phase Indoor 375W or 600W	 TUCSON MICRO Single Phase Indoor 20W to 55W	 TUCSON COMPACT Single Phase Indoor 55W to 220W	 TUCSON MINI Single Phase Indoor 75W to 300W	 PHOENIX COMPACT Single Phase Indoor 350W to 2000W	 PHOENIX LITE Single Phase Indoor 575W to 1050W
 PHOENIX 1 Single Phase Indoor 2.4KW to 4.2KW	 PHOENIX PLUS Single Phase Indoor 4.7KW to 21.0KW	 SEDONA Three Phase Indoor 3.0KW to 125.0KW	 SIERRA 1 Single Phase Outdoor 0.075KW to 21.0KW	 SIERRA 3 Three Phase Outdoor 3.0KW to 21.0KW	 SONORAN 1 Single Phase Harsh Env. 0.075KW to 21.0KW	 SONORAN 3 Three Phase Harsh Env. 3.0KW to 125.0KW





LED Remote Lamps

 CHIR Chicago LED Remotes	 NXFR NEMA 4X, NSF Rated LED Remotes	 RL52-2RL52 Ultra Compact LED Remotes	 RL1-WP Wet Location LED Remotes	 RENEGADE Universal LED Remotes	 MLED LED Remotes for LED Exits or Em Units
--	---	--	---	---	--

LED Retro-fit Kits

 RT1 LED Strip - Direct Wire or Socket Ready	 RT2 Socket Ready with Base Adaptors	 LEDGE LED Edge-lit Retro-fit Kits
---	---	---

Weatherproof LED Directional Signage

 82-1 32.6" x 6" x 3.25" Multiple Legends	 82-2 19.5" x 11.6" x 3.25" Multiple Legends	 82-4 14" x 14" x 3.25" X and Arrow	 82-5 19.5" x 6.5" x 3.25" Multiple Legends
--	--	--	--

Emergency Components

 EMERGENCY BALLASTS Fluorescent 300 to 3000 Lumens	 EMERGENCY LED DRIVER Constant Power 5 to 13 Watts	 TRANSFER SWITCHES Emergency Lighting Control Device
---	---	---





Custom Signs/Legends

 Custom Signs Weatherproof Assorted Sizes	 Custom Legends Indoor - Assorted Styles & Legends
--	--

Undercabinet

 LEDUC LED Undercabinet 12" to 42" Lengths

Accessories


 ER-KIT Includes Canopy, Rod & Hardware	 GUARDS Vandal Resistant Wire or Polycarbonate	 MOUNTING SHELVES For Mounting Emergency Lights	 WPV Wet Location Vandal Guards
--	---	--	---



Indoor Commercial LED Solutions



LED Wallpacks



LED Canopy





Highbays



RSHL Slim Round Highbay Bluetooth Controls Compatible
RQHL Performance Round Highbay
RHL Performance Round Highbay
MQHB Mini Linear Highbay Bluetooth Controls Compatible
EHB Performance Linear Highbay
EQHB Performance Linear Highbay
LHB Linear Highbay

Pole Kits



PK
Area Luminaire Pole Kits

LED Area/Flood



RxA LED Area Light 70-300W
FXA-15-45 15-45W Knuckle or Yoke Mount
FXA-70-350 70-350W Trunnion or Yoke Mount
AXL2-15-50 15-50W Knuckle or Yoke Mount



AXL2-80-280 80-280W - Multiple Mounts Available
TLED-XPFF Extreme Performance
AXL-15 15W - Stem or Yoke
AXL-30 30W - Stem or Yoke
AXL-50 50W - Stem or Yoke

Dock Lights



LDL
Color Switchable Loading Dock Light (Available Q1 2024)

Bollards



AXB Diffused
ELB Internal Louvers

Vaportights



VPA Color Switchable Linear Vaportight
JJI Adjustable Vaportight
TLED-LVT 2' or 4' Vaportight
TLED-804 Vaportight Security

litelogic Bluetooth Controls - Sensors & Switches

(Click [HERE](#) for compatible fixtures)



LE-MS-ECO3 Integral PIR Motion Sensor w/Daylight Harvesting
LE-MS3W-BL-AUX-HB1 External, Outdoor PIR Motion Sensor w/Daylight Harvesting
LE-MS3-AUX-HB1 External PIR Motion Sensor w/Daylight Harvesting
LE-MS2-HB1 External Highbay PIR Motion Sensor w/Daylight Harvesting
LE-MS1-HB1 Integral Highbay PIR Motion Sensor w/Daylight Harvesting
LE-SW2 5-Key Battery Powered Wall Switch
LE-SW3 3-Key Line Voltage Wall Switch
LE-SW4 7-Key Line Voltage Wall Switch Scene Controller
LE-C1 120-207VAC Fixture Controller Sensor Ready
LE-C3 12V Fixture Controller



EQUITY LINE Products



RSHL
Slim Round Highbay
Bluetooth Controls
Compatible



EWQ
4' Color & Power
Switchable Wrap



LPX-CP4
Color & Power
Switchable



LPX
LED Flat Panels



CBLQ
Color & Power
Switchable



RWE
Small and Medium
CCT & Power
Selectable



ECX
Square LED Canopy



MWQ
Mini Die-Cast
Refractor



DDX
120V Domed
LED Downlight



RQHL
Performance Round
Highbay



BWQ
4' Economy Wrap
Luminaire



MQHB
Mini Linear Highbay
Bluetooth Controls
Compatible



EQHB
Performance Linear
Highbay



WTA
Adjustable
Wallpack




Ribbon Flex



FLX
Specification Grade
Indoor LED Ribbon Flex



SURF
Outdoor LED
Ribbon Flex



SURF-RGB
Outdoor Color Changing
LED Ribbon Flex



RFX120
120V Indoor/Outdoor LED
Ribbon Flex



RFX120-RGB
120V Indoor/Outdoor LED
Color Changing Ribbon Flex



RFX
Indoor LED
Ribbon Flex



RFX-RGB
Indoor Color Changing
LED Ribbon Flex



RFX-WET
Outdoor LED
Ribbon Flex



RFX-RGB-WET
Outdoor Color Changing
LED Ribbon Flex



FTK
Complete LED
Flexible Tape Kit


Flexible Border Tube



WAVE
LED Flexible
Border Tube




WAVE-RGB
Color Changing Flexible
LED Border Tube



FBTCJ
Color Jacketed LED
Flexible Border Tube




FBT-RGB
Color Changing LED
Flexible Border Tube



MF
Micro LED
Flexible Border Tube

Rope Light



RL
LED Flexible
Rope Light

Border Tube



CLBT
Large Linear LED
Border Tube

RGBW Panel



RGBWFP22
RGB+W LED Flat Panel


RGBW Downlight



RGBWRD
RGB+W LED
Recessed Downlight



Linear Wall Washers



LWW
LED Linear
Wall Washer



LWW-RGB
LED Linear Color
Changing Wall Washer

Channel Letter Modules



LCM1
Single LED
Channel Letter Module



LCM3
Three LED
Channel Letter Module



LCM3-RGB
Three LED RGB
Channel Letter Module

RGB Controllers



DMX4-RGB-WHEEL
RGB Controller




STICK-KE2
RGB Controller



RFX-DMX-CV-DECODER
Indoor 16 Bit DMC
CV Decoder

Transformers




XFMR-DIM
Magnetic Dimmable
LED Power Supply



XFMR
Single Output
LED Power Supply

EQUITY LINE Products




FTK
Complete LED
Flexible Tape Kit



LED Lighting



VARIUS
90W LED Grow Light Bars
Red & Blue Spectrums, ETL
Listed



FULGENT
720W 8 Bar, Full Spectrum
LED Grow Light,
UL Listed



TERRA
600W Full Spectrum
Linear LED Grow Light,
ETL Listed



GRM-40L-WH
40W White Full Spectrum
LED Clone Light,
UL Listed



CLN-200L
200W White Full Spectrum
LED Veg/Clone Light,
UL Listed



WBVB-300L
300W White Full
Spectrum LED Veg Light
UL Listed




FPV14-A / FPV24-A
30W / 60W White Full
Spectrum LED Veg Light,
ETL Listed

HID Reflectors



GLH-HDE-E-UL
Archon DE Reflector,
UL 8800 Listed, Patented
SafeDElock socket
(Patent No. 10,720,741)




GLH-HSE
HSE Convex SE
Reflector, ETL Listed



GLH-HDE-8
HDE-8 Air-Cooled
DE Reflector, ETL Listed



GLH-OG-8
OG Vertical Air-Cooled SE
Reflector, UL Listed



GLH-OG-315
OG-315 Vertical Open
SE Reflector, UL 8800 Listed

HID Systems



**GLH-HDE-E-UL-1000-
HPS-240/277**
Archon DE Reflector, 1000W
HPS DE Lamp, 1000W DE
Ballast 240/277VAC



**GLH-HSE-1000-HPS-
DA-240/277**
HSE Convex SE Reflector,
1000W HPS DA Lamp, 1000W
DE Ballast 240/277VAC



**GLH-HSE-315-CSI-
120/277**
HSE Convex SE Reflector,
315W HPS DA Lamp, 315W
CMH Ballast 120/277VAC



**GLH-HDE-8-1000-
HPS-240/277**
HDE-8 Air-Cooled DE Reflector,
1000W HPS DE Lamp, 1000W
DE Ballast 240/277VAC



**GLH-OG-8-1000-HPS-
DA-240/277**
OG Vertical Air-Cooled SE
Reflector, 1000W HPS Lamp,
1000W DE Ballast 240/277VAC



**GLH-OG-315-8-315-
CSI-120/277**
OG-315 Vertical Open SE
Reflector, 315W CMH T15 SE Lamp,
315W CMH Ballast 120/277VAC

Lamps



GLL-315-CSI
315W Single-Ended
Mogul Base CMH



GLL-315-CSI-DE
315W Double-Ended
CMH



GLL-315-CSI-T15
315W T15 Single-Ended
Mogul Base CMH



GLL-1000-HDEL-DE
1000W Double-Ended
Real Red HPS 2000K



GLL-1000-HPS-DA
1000W Dual-Arc Mogul
Base Real Red HPS 2000K



GLL-1000-HPS
1000W Mogul Base
Real Red HPS 2000K



GLL-600-HPS
600W Mogul Base
Real Red HPS 2000K



GLL-1000-MH
1000W Mogul Base
True Blue MH 6500K



GLL-600-MH
600W Mogul Base
True Blue MH 6500K



GLL-3-T5HO-54
4' 54W T5HO Bi-Pin
Real Red 3000K



GLL-3-T5HO-24
2' 24W T5HO Bi-Pin
Real Red 3000K



GLL-65-T5HO-54
4' 54W T5HO Bi-Pin
True Blue 6500K



GLL-65-T5HO-24
2' 24W T5HO Bi-Pin
True Blue 6500K

Ballasts



GLB-1000-DE-240/277
1000W DE Ballast
240/277VAC,
UL Listed



GLB-315-A-120/277
315W CMH Digital Ballast
120/277VAC,
UL Listed



GLE-S
Plant-Safe Soft Green
Emergency Exit,
UL Listed



GLE-GL
Plant-Safe Soft Green
Vaportight Lighting,
UL 8800 Listed



GLE-GL-RKU
Plant-Safe Soft Green
Retro-fit Kit