

Customize the message on many of our signs with any custom legend. Get the value and performance benefits our products offer and take advantage of the latest LED technology.

FEATURES

- Available in plastic (VEX), die-cast (400E and 400EX), edge-lit (900EX) and wet location (VEX-WP) enclosures
- Single or double-faced configurations
- Built with the same quality components as our Exit signs

APPLICATIONS


- Hospitals/Clinical Labs
- School Campus
- Radio Stations/Concert Venues
- Retail
- Stadiums/Gymnasiums
- Restaurants/Bars

SEE PAGES 3-4 FOR AVAILABLE LEGENDS

GENERAL ORDERING INFORMATION

- Contact factory for custom panels
- Specialty signs are not UL listed
- Popular custom legends for reference only, additional set-up charges may occur in certain configurations

Model: _____ Date: _____
Accessories: _____
Job Name: _____ Type: _____



VEX Series



ORDERING INFORMATION Example: VEX-1-LB-WH-SS12

Series	Style	Power Source	Finish	Options (Factory Installed)
VEX = Red	U ¹ = Universal	LB = AC Only	BL = Black	SS ³ = Specialty Signs
GVEX = Green	1 ² = Single-Face	WB = With Battery	WH = White	SALIDA ⁴ = Salida Legends

Notes

¹ Universal includes second exit face and backplate

³ Consult factory for alternate legends and custom configurations

² Available for Specialty Signs only

⁴ Only available as universal (U)



400E Series



AVAILABLE WHILE SUPPLIES LAST

ORDERING INFORMATION Example: 402E-LB-BA-SS63

Series	Power Source	Finish	Options (Factory Installed)
402E = Red Single-Face	LB = AC Only	BB = Black w/ Black Face	FM ¹ = Flush Mount Kit
403E = Red Double-Face	WB = NiCad Battery (std)	BL = Black w/ Alum. Face	SS ² = Specialty Signs

Notes

¹ FM only available in single face

² Consult factory for alternate legends and custom configurations



400EX Series



ORDERING INFORMATION Example: 402EX-WB-BA-SS701

Series	Power Source	Finish	Options (Factory Installed)
402EX = Red Single-Face	LB = AC Only	BA = Brushed Alum. w/ Alum. Face	SS ¹ = Specialty Signs
403EX = Red Double-Face	WB = NiCad Battery (std)		
G402EX = Green Single-Face	2CI1 = 120V 2 Circuit Input		
G403EX = Green Double-Face	2CI7 = 277V 2 Circuit Input		

Notes

¹ Consult factory for alternate legends and custom configurations

900EX Series



ORDERING INFORMATION Example: 902EX-U-WB-RC-BA-SS708

Series	Mounting	Power Source	Panel Color	Finish	Options (Factory Installed)
902EX = Single-Face	R = Recessed	LB = AC Only	GC = Green Letters/Clear Panel	BA = Brushed Alum.	SS ³ = Specialty Signs
903EX ¹ = Double-Face	U = Universal Surface	WB = NiCad	GM = Green Letters/Mirror Panel	BL = Black	
	WR ² = Wall Recessed	2CI = 2 Circuit Input 120/277VAC	GW = Green Letters/White Panel	WH = White	
			RC = Red Letters/Clear Panel		

Notes

¹ Double face available with white or mirror panel only

² Single face, clear panels only (RC or GC)

³ Consult factory for alternate legends, laser etching, or custom configurations

VEX-WP Series








ORDERING INFORMATION Example: VEX-WP-1-WB-WH-SS701

Series	Style	Power Source	Finish	Options (Factory Installed)
GVEX-WP = Green	1 = Single-Face	LB = AC Only	BL = Black	SS ¹ = Specialty Signs
VEX-WP = Red	2 = Double-Face	WB = With Battery	GR = Gray	
			WH = White	

Notes

¹ Consult factory for alternate legends and custom configurations

SEE PAGES 3-4 FOR AVAILABLE LEGENDS



IN USE

SS24

**LASER
IN USE**

SS63

LOBBY

SS216

**MAGNET
ALWAYS
ON**

SS275

**MAGNET
IN USE**

SS240

**MAGNET
ON**

SS281

MEN

SS16

**MICROSCOPE
IN USE**

SS848

MRI ON

SS897

**NOT AN
EXIT**

SS85

ON AIR

SS26

OZ ←—→

SS842

RECORDING

SS211

**ROOM
IN USE**

SS30



SS514

SALIDA

SS19

**STAFF
ONLY**

SS888

STAIRS

SS8

**SYSTEM
ON**

SS856

**TEST IN
PROGRESS
DO NOT ENTER**

SS875

**TO AREA
OF
REFUGE**

SS505

**UV LAMP
IN USE**

SS873

**WARNING
TEST IN
PROGRESS**

SS874

WOMEN

SS17

**X-RAY
IN USE**

SS12

**X-RAY
ON**

SS31