



800.533.3948 | barronltg.com

LIGHTING SOLUTIONS

FOR COMMERCIAL AND INDUSTRIAL APPLICATIONS

EXITRONIX
TRACE*^{LITE}
*specialty*LED
growlite

QUICK
REFERENCE GUIDE





ABOUT US

Barron Lighting Group in Glendale, Arizona has over 45 years of experience manufacturing and marketing its comprehensive line of lighting solutions for commercial and industrial applications. **Barron** is the parent company to four brands: **Exitronix** emergency lighting, **Trace-Lite** commercial and industrial lighting, **specialtyLED** commercial and decorative lighting, and **Growlite**® indoor and greenhouse horticultural lighting.

Integrity and innovation. Quality and flexibility. These characteristics are celebrated by the employees of **Barron Lighting Group**. At **Barron**, we constantly strive to prove our reputation of delivering the world-class service that our customers want – when they need it.

This quick reference guide illustrates **Barron Lighting Group's** entire suite of products. For more information please visit us at barronltg.com or call 800.533.3948.



02 | EXITRONIX®

- 02 Exit Signs
- 04 Exit Sign - Emergency Light Combos
- 06 Emergency Lighting
- 08 Inverters | Ballasts & Drivers | Remote Heads | Retrofit Kits
Under Cabinet | Accessories
- 10 LED Social Distancing Signs
- 12 Custom | Directional Signs

14 | PRODUCTION

16 | TRACE***LITE**®

- 16 Wallpacks | Area & Flood
- 18 Highbays | Canopy | Vaportights | Bollards | Dock Light
- 20 Indoor Solutions

22 | ENGINEERING

24 | grow**lite**®

- 24 Linear LED Grow Lighting | Plant-Safe Green LED Emergency & Task Lighting
- 26 HID Lighting Systems
- 28 Lamps
- 30 Plant-Safe Emergency | Ballasts | Retrofit Kit | Accessories

32 | WAREHOUSE

34 | *specialty***LED**®


- 34 Indoor Architectural & Decorative Lighting
- 36 Outdoor Architectural & Decorative Lighting



500E Steel Direct View LED Exit

EXIT SIGNS

Exitronix designed, engineered and manufactured the first LED exit sign and continues to innovate with its family of exit signs that combine functionality and a contemporary design for use in a variety of applications. Product safety is important to us – all of Exitronix's life safety exit signs are UL 924 Listed while many are CEC Certified and rated for use in Chicago and NYC.



EXITRONIX
emergency lighting

| | | | | | | | | |
|--|--|---|--|--|--|--|--|---|
| | | | | | | | | |
| VEX Thermoplastic LED Exit | VEX-R LED Exit with Remote Capacity | ILX Compact, Low-profile LED Exit | VEX-WP Weatherproof LED Exit | VEX-S Universal Steel LED Exit | 400E Die-cast Aluminum LED Exit | 400S/U Universal Die-cast Aluminum LED Exit | 450 Ultra-slim Die-Cast Aluminum LED Exit | 500E Steel Direct View LED Exit |
| | | | | | | | | |
| 600E Steel Direct View LED Exit | 900E Edge-lit LED Exit | S900 Swivel Mount Edge-lit LED Exit | NY900U New York City Approved Universal Edge-lit Exit | NY900E New York City Approved LED Edge-lit Exit | CH900E Chicago Approved LED Edge-lit Exit | 700E Steel LED Exit | VEX-8 New York City Approved Steel LED Exit | 400U-8 New York City Approved Die-cast LED Exit |
| | | | | | | | | |
| S900RM Surface/Recessed Edge-lit Running Man LED Exit | RMPE Running Man LED Exit | NAV NEMA 4X LED Exit | VRC Wet Location LED Exit | EG100 High-visibility Photoluminescent Exit | PXP Self-luminous Tritium Exit | CHEX Chicago Approved Steel LED Exit | CP-EX Hazardous NEMA 4X LED Exit | CP-E Hazardous Location LED Edge-lit Exit |
| | | | | | | | | |
| CP-EXP Explosion Proof LED Edge-lit Exit | CT400E Connecticut Approved Aluminum LED Exit | CT700E Connecticut Approved Steel LED Exit | CT900E Connecticut Approved Recessed LED Exit | CTC900E Connecticut Approved Surface Mount LED Exit | NXFX NEMA 4X, NSF Certified LED Exit | QXEDGP Thermoplastic Edge-lit Exit | CHIX City of Chicago Steel LED Exit | EQUITY LINE - QXS Universal Red/Green, Slim Thermoplastic Exit |
| | | | | | | | | |
| EQUITY LINE - QXT Thin Thermoplastic Exit | | | | | | | | |



S900C LED Edge-lit Exit Combo

EXIT SIGN - EMERGENCY LIGHT COMBOS

Exitronix's exit combo signs combine an appealing design with the added functionality of emergency lights for use in a variety of applications. Complete families of signs provide bright illumination and exceptional spacing in both normal and smoke-filled environments.



VLEDC-5T Ultracompact LED Exit Combo

BARRON
EXITRONIX
emergency lighting



S900C
LED Edge-lit
Exit Combo



NY900C
New York City Approved
LED Edge-lit Exit Combo



VLEDC-5T
Ultracompact
LED Exit Combo



CLED
LED Light Bar
Exit Combo



VLED-EL90
LED
Exit Combo



VEX-WPCR
Wet Location
Remote Capability Combo



VEX-WPC
Wet Location
LED Exit Combo



VEXCL
New York City Approved
Steel LED Exit Combo



400C
Die-Cast Aluminum
LED Exit Combo



500E
Steel Direct View
LED Exit Combo



600E
Steel Direct View
LED Exit Combo



RMPC
Running Man
LED Exit Combo



NXFC
NEMA 4X, NSF Certified
LED Exit Combo



LOBO
LOW-LEVEL, THERMOPLASTIC,
LED Exit Combo/EM UNIT



CHIC
City of Chicago
Steel LED Combo



EQUITY LINE - QCRS
Universal Red/Green,
Slim Thermoplastic Combo



EQUITY LINE - QCRT
Thin Thermoplastic
Combo



EQUITY LINE - QCSS
Slim Thermoplastic
Combo



SLW Low-profile Architectural LED

EMERGENCY LIGHTING

Exitronix's long-lasting, LED emergency light fixtures combine maintenance innovations with performance and dependability for use in a variety of indoor and outdoor applications with up to 125' spacing.



SCL Compact Steel LED Tool-less Battery Access



LED-51/52
Thermoplastic
Ultracompact LED



NFINITY
Thermoplastic
High-output LED



LED-95
Thermoplastic
LED



LED-90
Thermoplastic
LED



LED-60
Thermoplastic
LED



LRP
Thermoplastic
Heavy-duty Incandescent



CP-EMX
NEMA 4X
Hazardous Incandescent



SCL
Compact Steel LED
Tool-less Battery Access



CP-EMW
IP66 Architectural
Wet Location LED



LL50H-N4
Thermoplastic
Wet Location LED



LEM54-N4
Thermoplastic
Wet Location LED



LED-RX
Polycarbonate
Wet Location LED



WNX
Fiberglass NEMA 4X
Incandescent



NAV-EM
IP66 Wet Location LED
or Incandescent



RS 25-150
Steel LED or
Incandescent



RS 120-360
Steel LED or
Incandescent



SLW
Die-cast General and EM IP65
Low-profile Architectural LED



TRITON LED
Die-cast General and
Emergency Lighting



NF1
Extruded Aluminum
Cylinder LED



NF2
Aluminum
Ultra Mini LED



NF3
Die-cast Aluminum
Compact Outdoor LED



NFDL1
New Construction
Recessed LED Downlight



NFDL2
Remodel Recessed
LED Downlight



CRL
Recessed T-Bar LED
Tool-less Battery Access



RMW
Architectural LED
Recessed Emergency



RM2
Recessed
LED Emergency



STEALTH
Recessed
LED



NFS
Die-cast Aluminum
Linear Outdoor LED



NY-LL
New York City Approved
Steel LED



NY-LED
New York City Approved
Steel LED



NXFE
NEMA 4X, NSF Certified
LED Emergency Unit



NXFR
NEMA 4X, NSF Certified
LED Remote Lamp



CHIM
City of Chicago
Steel LED Emergency Unit



EQUITY LINE - QMS
Micro LED Thermoplastic
Emergency Unit



EQUITY LINE - QMR
Micro LED Thermoplastic
Emergency Unit



SIERRA 3 Three-phase Outdoor 3.0KW to 125.0KW

INVERTERS | BALLASTS & DRIVERS REMOTE HEADS | RETROFIT KITS UNDER CABINET | ACCESSORIES

Exitronix continues to broaden its emergency lighting solutions offering with an ever-expanding line of emergency ballasts, emergency LED power supplies and switches, as well as central inverter systems from 20W up to 125KW.



INVERTERS



TUCSON MICRO
Single-phase Indoor
20W to 55W



TUCSON COMPACT
Single-phase Indoor
55W to 220W



TUCSON MINI
Single-phase Indoor
75W to 375W



PHOENIX COMPACT
Single-phase Indoor
350W to 2000W



PHOENIX LITE
Single-phase Indoor
525W to 1050W



PHOENIX 1
Single-phase Indoor
2.4KW to 4.2KW



PHOENIX PLUS
Single-phase Indoor
4.7KW to 21.0KW



SEDONA
Three-phase Indoor
3.0KW to 125.0KW



SIERRA 1
Single-phase Outdoor
0.075KW to 21.0KW



SIERRA 3
Three-phase Outdoor
3.0KW to 125.0KW



SONORAN 1
Single-phase Harsh Env.
0.075KW to 21.0KW



SONORAN 3
Three-phase Harsh Env.
3.0KW to 125.0KW

BALLASTS & DRIVERS



BALLASTS
Fluorescent
300 to 3000 Lumens



LED DRIVER
Constant Power
5W to 17W



SWITCHES
Emergency Lighting
Control Device



CHIR
City of Chicago
Steel LED Remote Lamps



RL52-2RL52
Ultracompact
LED Remotes



RL1-WP
Wet Location
LED Remotes



RENEGADE
Universal
LED Remote



MLED
Indoor and Outdoor
LED Remotes



MOUNTING PLATES
Indoor and Outdoor
Assorted Styles

RETROFIT KITS



RT1
LED Strip - Direct Wire
or Socket Ready



RT2
Socket Ready with
Base Adapters



LEDGE
LED Edge-lit
Retrofit Kits




LEDUC
LED Under Cabinet
8" to 48" Lengths

REMOTE HEADS

ACCESSORIES



ER-KIT
Includes Canopy,
Rod and Hardware



GUARDS
Vandal-resistant
Wire or Polycarbonate



SHELVES
For Mounting
Emergency Lights



WPV
Wet Location
Vandal Guards



VEX-WP-SD Wet Location LED

LED SOCIAL DISTANCING SIGNS

In today's health-conscious environment, social distancing has become a necessity. Help keep your employees, customers, patients and visitors safe with Social Distancing signage from **Exitronix**. Available in a wide variety of enclosures including die-cast aluminum, thermoplastic, attractive edge-lit designs and outdoor configurations, **Exitronix** Social Distancing signage is perfect for any application.



EXITRONIX
emergency lighting



VEX-SD
Thermoplastic
LED



900E-SD
Architectural
Edge-Lit LED



VEX-WP-SD
Wet Location
LED



900E Edge-lit LED

CUSTOM | DIRECTIONAL SIGNS

Exitronix offers custom and directional signs for use in both indoor and outdoor applications. **Exitronix's** custom signs are fun and functional, utilizing a variety of design legends and colors to suit project needs. **Exitronix's** family of directional signage informs, directs and maintains traffic moving smoothly in congested areas, effectively guiding customers to the fastest service available as a result of its direct view which offers bright visibility ideal for Wet Locations.



EXITRONIX
emergency lighting

CUSTOM



VEX
Thermoplastic
LED



400E
Die-cast
Aluminum LED



700E
Steel
LED



900E
Edge-lit
LED



VEX-WP
Weatherproof
LED



84-1
32.6" x 6" x 3.25"
Multiple Legends



84-2
19.5" x 11.6" x 3.25"
Multiple Legends



84-4
14" x 14" x 3.25"
Multiple Legends



84-5
19.5" x 6.5" x 3.25"
Multiple Legends

DIRECTIONAL



82-1
32.6" x 6" x 3.25"
Multiple Legends




82-2
19.5" x 11.6" x 3.25"
Multiple Legends



82-4
14" x 14" x 3.25"
X and Arrow





82-5
19.5" x 6.5" x 3.25"
Multiple Legends



EHB High-performance LED Linear Highbay

PRODUCTION

Supplying top quality products to our customers requires not only excellent engineering and design, but also outstanding manufacturing quality. Our employees are well trained and highly motivated. The average tenure in the production department is 14 years. This is a highly skilled group that takes pride in the superior quality of our products.



DID YOU KNOW?

- Our modular production line gives us the versatility to meet the fast-paced demands of the lighting industry.
- Working closely with our Engineering Department, the **Barron** production team can rapidly adapt to custom requests and implement design changes with ease.
- Our Production team receives ongoing education in order to strengthen their skills and cross-train them in multiple areas of the department.

“ Our customers rely on our **consistency**. We provide that through our staff’s expertise gained by practical **experience** combined with engineering proficiency. The result is **very high levels of accuracy** and repeatable and faultless production disciplines.”

Alan Tracy President



WLZ Low-profile Zero Uplight Wallpack

WALLPACKS | AREA & FLOOD

Trace-Lite is **Barron's** commercial and industrial brand offering both indoor and outdoor LED lighting solutions for parking areas, pathways, building facades, loading docks and other general site lighting applications. We have flood and area lighting options from 1600 lumens to over 50,000 lumens.



RxA Low-profile LED Area Light



TRACE-LITE
commercial & industrial lighting

WALLPACKS



EQUITY LINE - WTA
Adjustable
LED



WLZ
Low-profile
Zero Uplight



BAW
Adjustable
Light Bars



SLW
Low-profile
Architectural LED



ET10X
Architectural Trapezoid
Medium and Large



TLED110P
Medium Architectural
Trapezoid



TLED110EXP
Large Architectural
Trapezoid



RGM
Medium Glass
Refractor



RGL
Large Glass
Refractor



MRW
Mini Polycarbonate
Refractor



TLED11P
Half Round
Medium Architectural



TLED12P
Quarter Sphere
Medium Architectural



BCY
LED Cylinder
Wallpack

AREA & FLOOD



FXA 15-45W
15-45W Small
Square Back LED



FXA 70-350W
70-350W Large
Square Back LED



RxA
70-300W
LED Area Light



PK Kit
RxA LED Area Light
and Pole Kit



AXL-15
15W
Stem or Yoke



AXL-30
30W
Stem or Yoke



AXL-50
50W
Stem or Yoke



AXL2 15-50W
LED Flood
Knuckle or Yoke



AXL2 80-280W
LED Flood
Multiple Mounting Options



TLED-XPf-110
110W
Extreme Performance



TLED-XPf
220-600W
Extreme Performance



EHB High-performance LED Linear Highbay

HIGHBAYS | CANOPY VAPORTIGHTS | BOLLARDS DOCK LIGHT

Trace-Lite supplies a full line of LED highbay solutions with multiple lumen packages, CCTs and optics specifically engineered for retail, industrial, commercial, manufacturing, warehousing, gymnasium and large interior spaces with mounting heights up to 50'. Our canopy, vaportight, bollard and dock lighting solutions are ideal for use in a variety of locations including light commercial developments, office complexes, schools and apartments.



BARRON
TRACE-LITE
commercial & industrial lighting

HIGHBAYS



RQHL
LED Round
Highbay



EQHB
High-performance
LED Linear Highbay



EHB
High-performance
LED Linear Highbay



LHB
LED Linear
Highbay



RHL
LED Round
Highbay

CANOPY



MC2
Low Glare
10" LED Canopy



RCL
Round LED
Canopy/Garage



SCS-S
12" Surface Mount LED
Soft Square Canopy



SCP-S
Surface Mount LED
Performance Canopy



SCP-R
Recessed Mount LED
Performance Canopy



LPC1
Low-profile
8" LED Canopy

VAPORTIGHTS



BVTPLED
Surface-mounted
4' LED Vaportight



VPA
LED Linear
Vaportight



TLED804
Security
LED Vaportight



JJL
Adjustable LED Vaportight
Jelly Jar

BOLLARDS



AXB
Round
LED Bollard



ELB
Louvered
LED Bollard

DOCK LIGHT



LDL200
High-performance
LED Dock Light



LPA Premium LED Flat Panel

INDOOR SOLUTIONS

Trace-Lite's indoor LED lighting package now includes flat panels with DLC PREMIUM® qualification, downlighting from 2" to 8" apertures for both new construction and retrofit applications, wraps, strips as well as under cabinet fixtures.



TRACE-LITE
commercial & industrial lighting



SPZ
Air-Circulating Disinfectant
LED Flat Panel



LPA
Premium LED
Flat Panel



LPA-CP
Color/Power Switchable
Flat Panel



CBLS
Color/Power Switchable
Center Basket



BWALED4FT
High-efficacy
4' LED Wrap



TSL
Linkable LED Strip
2', 4' and 8'



BLCSLED
LED Covered Strip
2', 4' and 8'



SLS
Color & Power Switchable
LED Linkable Strip Light



SSF
LED Linear
Stairwell Fixture



BLED-2T
2" Recessed
LED Trims



BRK-LED350
3.5" Recessed
LED Retrofit Trims



BRK-LED4-ECO
4" Recessed
LED Retrofit Trim



BRK-LED4-GR-ECO
4" Recessed
LED Gimbal Trim



BRK-LED56-ECO
5 7/8" Recessed
LED Retrofit Trim



BRK-LED56-GR-ECO
5 7/8" Recessed
LED Gimbal Trim



BRK-LED56-SGR-ECO
6" Sloped Ceiling
LED Recessed Gimbal Trim



BRK-LED6A-BW
6" Recessed
LED Trim



BRK-LED8A-BW
8" Recessed
LED Trim



BRK-LED34-DL-ECO
3 3/4" Surface
LED Dome Light



BRK-LED36-DL-ECO
3 3/4"/"5"/"8" Surface
LED Dome Light



BLED2
2" Recessed
LED Housings



BL350IC
3.5" IC Recessed
LED Housings



FJX
LED Surface
Mount Downlight



FJX-VS
120VAC-277VAC
LED Surface Mount Downlight



BL4ICLED
4" IC Recessed
LED Housings




BL9ICLED
6" IC Recessed
LED Housings



LEDC
Under Cabinet
LED Lighting




RK
Linear Retrofit
LED Kit



ENGINEERING

Our engineering DNA dates back to 1973. Before **Barron** had its own line of products, we were focused strictly on engineering and design solutions for industrial markets. We combine our years of experience and professionalism with the creativity, flexibility, responsiveness, and technical excellence demanded by today's lighting. Our talented technical team offers our clients diverse backgrounds and complementary lighting expertise.



DID YOU KNOW?

- Our engineers not only design our products, they also perform the required code-compliance, safety, performance and life tests.
- Our lab is a UL Certified DAP Lab for emergency, indoor/outdoor and horticultural lighting.
- We utilize over 75 pieces of test equipment that are calibrated to the U.S. National Institute of Standards and Technology to ensure all test results are traceable and accurate.
- Our environmental chambers (shown above) allow us to simulate the harshest weather conditions, with temperatures ranging from -70°C - 190°C and 5% - 95% Relative Humidity.

“ It’s important to us that we provide our customers **safe and reliable products**, the only way to ensure that is through comprehensive **controlled testing**, backed by strict disciplines, metrics and accountabilities. ”

Alan Tracy President



VARIUS 90W LED Linear Grow Light

LINEAR LED GROW LIGHTING PLANT-SAFE GREEN LED EMERGENCY & TASK LIGHTING

Growlite and Barron Lighting Group combine over 11 years of horticultural lighting experience with 46 years of lighting design knowledge to ensure the right technology is applied for any grow applications.



GRM-40L-WH 40W 4' Linear Vaportight LED

BARRON
growlite
horticultural lighting

LINEAR LED GROW LIGHTING



VARIUS RED
90W Red Spectrum
LED Linear Grow Light



VARIUS WHITE
90W White Full-spectrum
LED Linear Grow Light



VARIUS BLUE
90W Blue Spectrum
LED Linear Grow Light



FULGENT LED
72W 8 Bar
LED Grow Light



GRM-40L-WH
40W 4' Linear
Vaportight LED



CLN-200L
200W White Full-spectrum
LED Veg/Clone Light



WBV-320L
320W White
Full-spectrum LED Veg Light



FPV14-A
30W, 1'x4' Flat Panel
LED Veg Light



FPV24-A
60W, 2'x4' Flat Panel
LED Veg Light

PLANT-SAFE GREEN LED EMERGENCY & TASK LIGHTING



GLE-S
Green Plant-safe
LED Exit Sign




GLE-S COMBO
Green Plant-safe
LED Exit Combo



GLE-GL
Green LED
Vaportight Luminaire




GLE-GL-RKU
Green LED
Hallway Retrofit Kit



06 315W-1000W Full Body Air-cooled Vertical Reflector

HID LIGHTING SYSTEMS

Growlite's complete HID lighting solutions package includes ballasts to drive 315W, 400W, 600W and 1000W HID lamps. Ceramic metal halide (CMH) technology best replicates sunlight, and **Growlite's** 315W CMH lamp has successfully replaced 600W HPS in grow facilities for over 50% energy savings.



growlite
horticultural lighting



ARCHON DE
315W-1000W
DE Reflector



OG-315-E
315W CMH Economy
Open Reflector



OG
315W-1000W Full Body
Air-cooled Vertical Reflector



HDE-8
315W-1000W Full Body
Air-cooled DE Reflector




HSE-CONVEX
315W-1000W
SE Reflector



REAL RED DE 1000W Open Rated High Pressure Sodium Lamp

LAMPS

Growlite offers a broad selection of lamp types, sizes and wattages for every application. Unique amalgam recipes within the arc tubes create optimized horticulture-specific spectral outputs that grow healthy plants with large harvests. All of **Growlite's** lamps are rigorously tested during development over various types of crops, and every production lamp has full third party testing completed to verify performance. Growlite's high-quality HID reflector systems are the only UL Listed grow lights offered in the market; our HID systems contain the only compliant DE socket with the new UL 8800 standards, making it the safest system in the market.



BARRON
growlite
 horticultural lighting



315W CMH T15
 Mogul Base Full-spectrum
 Ceramic Metal Halide Lamp



315W CMH DE
 Full-spectrum
 Ceramic Metal Halide Lamp



315W CMH SE
 Mogul Base Full-spectrum
 Ceramic Metal Halide Lamp



REAL RED DE 1000W
 Open Rated High Pressure
 Sodium Lamp



REAL RED DA 1000W
 Open Rated High Pressure
 Sodium 1000W Double Arc



REAL RED SE 1000W
 Open Rated Mogul Base High
 Pressure Sodium 1000W



REAL RED SE 600W
 Open Rated Mogul Base High
 Pressure Sodium 600W



REAL RED T5HO
 T5 High-output
 2' 24W and 4' 54W Lamps



TRU BLUE SE 1000W
 Open Rated Mogul Base
 Metal Halide 1000W



TRU BLUE SE 600W
 Open Rated Mogul Base
 Metal Halide 600W




TRU BLUE T5HO
 T5 High-output
 2' 24W and 4' 54W Lamps



1000W DE BALLAST 240/277VAC Dimmable Electronic Ballast

PLANT-SAFE EMERGENCY BALLASTS | RETROFIT KIT ACCESSORIES

We strive at producing the next generation of safety, ballasts and accessories for our customer. Whether it is egress lighting for the dark cycle of a grow, plant safe green EXIT signs or UL listed ballasts/components, we at **Growlite** have the solution.



PLANT-SAFE EMERGENCY



GLE-S
Green Plant-safe
LED Exit Sign



GLE-S COMBO
Green Plant-safe
LED Exit Combo

BALLASTS



1000W DE BALLAST
240/277VAC Dimmable
Electronic Ballast



315W BALLAST
Ceramic Metal Halide (CMH)
Electronic Ballast

ACCESSORIES



SOCKET EXTENDER
Magul to Magul
Pulse-rated Porcelain



ROPE RATCHETS
1/8" Rope Ratchets
Suited for Large Reflectors



SOLID COVER 8
8" Removable Solid
Cover Plate



LOUVERED COVER 8
8" Removable Louvered
Cover Plate



DUCT 8
8" Removable
Duct/Flange



WAREHOUSE

All **Barron Lighting Group** distribution and warehousing facilities are built and maintained with one thing in mind: effective, accurate product storage and distribution. All locations offer state-of-the-art warehousing facilities in close proximity to major shipping lanes across the country to meet our customers' demands.



DID YOU KNOW?

- Our distribution centers are equipped with advanced inventory management systems that enable real-time inventory tracking down to the SKU level.
- When combined with our proven processes and trained personnel, the outcome speaks for itself; a 99.7% accuracy rate!
- To reduce damage and shipping costs for our customers, we utilize air pillows to fill the voids in our packages.

“ Our team performs **daily cycle counts, bay audits and countbacks**. All of which is measured with key performance indicators (KPI's). These are measured on a daily, weekly, monthly, quarterly, and annual basis and communicated with the entire team. ”

Alan Tracy President



RFX120 120V Indoor LED Ribbon Flex

INDOOR LIFESTYLE

specialtyLED offers colorful and dramatic lighting solutions for indoor architectural and decorative applications. With the ability to provide full design services, **specialtyLED's** design experts are immersed in the details of each project and turn vibrant and striking lighting concepts into reality.



specialtyLED
commercial & decorative lighting

INDOOR



RFX120
120V Indoor
LED Ribbon Flex



FLX
Specification Grade
LED Ribbon Tape



EQUITY LINE - FTK
Complete LED
Flexible Tape Kit



RFX
Indoor LED
Ribbon Flex



RFX-RGB
Indoor LED
Ribbon Flex



RGBWFP22
RGB & Tuneable White
LED Flat Panels

ACCESSORIES



RGB CONTROLLER
1024 Channel DMX
Touch Screen Controller



DECODER
Indoor 16 Bit
DMC CV Decoder



XFMR-DIM
Magnetic Dimmable
LED Power Supply




XFMR
Single Output
LED Power Supply



WAVE-RGB Color-changing Flexible LED Border Tube

OUTDOOR LIFESTYLE

specialtyLED's family of vivid and eye-catching lighting solutions including ribbon flex, flexible border tube and linear wall wash are ideal for outdoor architectural and decorative applications that require high-visibility, dramatic lighting effects



specialtyLED
commercial & decorative lighting

OUTDOOR



SURF
Outdoor LED
Ribbon Flex



SURF-RGB
Color-changing
LED Ribbon Flex



RFX-WET
Outdoor LED
Ribbon Flex



RFX-RGB-WET
Outdoor Color-changing
LED Ribbon Flex



WAVE
LED Flexible
Border Tube




WAVE-RGB
Color-changing Flexible
LED Border Tube



FBTCJ
Color Jacketed LED
Flexible Border Tube



FBT-RGB
Color-changing LED
Flexible Border Tube



MF
Micro LED
Flexible Border Tube



CLBT
Large Linear LED
Border Tube



RL
LED Flexible
Rope Light



LWW
LED Linear
Wall Wash



LWW-RGB
LED Linear
Color-changing Wall Wash



LCM1
Single LED
Channel Letter Module



LCM3
Three LED
Channel Letter Module



LCM3-RGB
Color Changing LED
Channel Letter Modules

ACCESSORIES



RGB CONTROLLER
1024 Channel DMX
Touch Screen Controller



DECODER
Indoor 16 Bit
DMC CV Decoder



XFMR-DIM
Magnetic Dimmable
LED Power Supply



XFMR
Single Output
LED Power Supply



BARRON LIGHTING GROUP 7885 N Glen Blvd, Glendale, AZ 85307

CONTACT

Please contact marketing@barrontg.com for additional sales tool requests.

EXECUTIVE TEAM (From Left to Right)

Adam Miller - CFO

Alan Tracy - President

Heather McCune - V.P. of Sales Operations

Lou Goldman - CEO



Heather McCune

V.P. of Sales Operations
623.414.4876

heather.mccune@barrontg.com



Darren Loeffler

R.V.P. West
949.395.2260

darren.loeffler@barrontg.com



Michael Martinez

R.V.P. Midwest
602.475.6703

michael.martinez@barrontg.com



Jamie Lovett

R.V.P. South
678.362.7597

jamie.lovett@barrontg.com



Karl Zartarian

R.V.P. Northeast
267.576.2743

karl.zartarian@barrontg.com



Customer Support and Sales Teams

Account Managers, Customer Support and Admin Assistants
800.533.3948 | 623.580.3948



LIGHTING SOLUTIONS FOR COMMERCIAL AND INDUSTRIAL APPLICATIONS

EXITRONIX[®]
emergency lighting



TRACE  **LITE**[®]
commercial & industrial lighting



specialtyLED[®]
commercial & decorative lighting



 **growlite**[®]
horticultural lighting

